

FARSINCE 远胜

WWW.FARSINCE.COM



PRODUCT CATALOG
Cables & Adapter

WHO WE ARE

Ningbo Farsine Electronic Co., Ltd. is a professional & reliable supplier of Computer cable, Ethernet cable, and related Adapters...etc. With more than 10 years experience in export business, our sales team can ensure you that we can understand your requirements well and deal with the projects immediately and professionally.

Quality is our first priority. Our Cables are produced by international advanced production line and tested by the advanced equipment like Fluke tester and Network Analyzer...etc, Most of our cables are HDMI ATC, UL, ETL, CPR, CE, RoHS, REACH certificated, Some of our Patch Cable is Delta certificated. In order to meet the different needs of our customers, we are also able to source all networking products in China.

The cooperation with Farsine Electronic will be an enjoyable experience. We insist on doing everything seriously and continuously improve our team services capabilities to satisfy clients' requirement. Once you select, we hope to be your partner forever. Welcome to visit us in Ningbo, China



CERTIFICATES



CPR Bca, Eca

UL

ETL

CE

DELTA

ISO9001

TESTING EQUIPMENTS



TDR & Network Analyzer

Electric Tester

Salt spray test chamber

Plug bending tester

CONTENT

HDMI CABLE *****	1-8
DISPLAYPORT CABLE *****	9-12
USB-C CABLE *****	13-20
CHARGE & SYNC CABLE *****	21-22
USB 3.0 & 2.0 CABLE *****	23-25
DVI CABLE *****	26
VGA CABLE *****	27
SATA & POWER CABLE *****	28
AUDIO & VIDEO CABLE *****	29
PANEL-MOUNT CABLE *****	30-33
AOC CABLE *****	34
ETHERNET CABLE *****	35-38
PACKAGING *****	39
FAQS *****	40



RoHS

HDMI®
HIGH-DEFINITION MULTIMEDIA INTERFACE





HDMI 2.1v 8K Cable

- Model No.: FS11012
- 48Gbps, 8K@60Hz, 4K@120Hz
- Support HDCP 2.2
- HDR with increased color spaces
- Length: 0.5m 1m, 1.5m, 2m, 3m, 5m



HQ HDMI 2.1v 8K Cable

- Model No.: FS11013
- 48Gbps, 8K@60Hz, 4K@120Hz
- Support HDCP 2.2
- HDR with increased color spaces
- Length: 0.5m 1m, 1.5m, 2m, 3m, 5m



Braided HDMI 2.1v 8K Cable

- Model No.: FS11023
- 48Gbps, 8K@60Hz, 4K@120Hz
- Support HDCP 2.2
- HDR with increased color spaces
- Length: 0.5m 1m, 1.5m, 2m, 3m, 5m



HDMI 2.0v Cable

- Model No.: FS11002
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 1M, 1.5M, 2M 3M 5M 7.5M, 10M



HDMI 2.0v Cable Dual Color

- Model No.: FS11003
- Dual Color nice molding
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-10M



HDMI 2.0v Cable Aluminum Housing

- Model No.: FS11004
- Aluminum Housing
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-10M



HDMI 1.4v Cable

- Model No.: FS1001
- 10.2Gbps,
- 4K@30Hz, 1080P
- HEC, 3D
- Length: 0.5M-30M




Active HDMI Cable for In-wall installation

- Model No.: FS11011
- Built-in Signal Booster
- 18Gbps, 4K@60Hz(12-20M), 4K@30Hz (20-50M)
- Support HDR, HEC, ARC, 3D
- Length: 15M-50M



HQ Flat HDMI Cable

- Model No.: FS11010
- Flat design for limited space
- OD: 3.0*13MM
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 2M, 3M, 5M, 10M, 15M, 20M



HDMI Extension Cable

- Model No.: FS11101
- HDMI Male to Female
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-3M





Angled HDMI Cable

- Model No.: FS11005
- 4 Directions available
- Up to 4K@60Hz
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-5M



Locking HDMI 2.0 Cable

- Model No.: FS11006
- Locking Connector
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-5M



Mini HDMI to HDMI Cable

- Model No.: FS11201
- HDMI Type A-Type C
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-3M



Micro HDMI to HDMI Cable

- Model No.: FS11301
- HDMI Type A-Type D
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-3M



Mini HDMI to HDMI Female Adapter Cable

- Model No.: FS11204
- HDMI Type AF-Type CM
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.2M



Micro HDMI to HDMI Female Adapter Cable

- Model No.: FS11304
- HDMI Type AF-Type DM
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-3M



HDMI to DVI-D cable

- Model No.: FS11501
- HDMI to DVI 24+1
- Bi-Direction Cable
- 1080P@60Hz,
- Length: 0.5M-10M



HDMI to DVI-D Bi-Direction cable Metal Housing

- Model No.: FS11504
- Metal Housing
- HDMI to DVI 24+1
- Bi-Direction Cable
- 1080P@60Hz,
- Length: 0.5M-10M



HDMI Type A Female to Type E Male Cable

- Model No.: FS11801
- Internal Connection within a vehicle
- 10Gbps, 4K@30Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-5M



HDMI Type A Male to Type E Male Cable

- Model No.: FS11802
- Internal Connection within a vehicle
- 10Gbps, 4K@30Hz,
- Support HDR, HEC, ARC, 3D
- Length: 0.5M-5M



HDMI / VGA ADAPTER



- ◆ Connect the video of a HDMI/Mini HDMI/Micro HDMI enable Chromebook or laptop to a VGA display
- ◆ Converts HDMI digital signal to VGA analog signal
- ◆ Support video resolutions up to 1920*1080@60Hz
- ◆ Features a built-in active chip to achieve better compatibility
- ◆ Length: 20cm
- ◆ Color Options: Black or White



HDMI to VGA



- FS11401: HDMI to VGA
- FS11401A: HDMI to VGA with Audio
- FS11401AP: HDMI to VGA with Audio and Power

Mini HDMI to VGA



- FS11402: Mini HDMI to VGA
- FS11402A: Mini HDMI to VGA with Audio
- FS11402AP: Mini HDMI to VGA with Audio and Power

Micro HDMI to VGA



- FS11403: Micro HDMI to VGA
- FS11403A: Micro HDMI to VGA with Audio
- FS11403AP: Micro HDMI to VGA with Audio and Power



- HDMI to VGA Cable 1.8M
- FS11404: without audio/Power
- FS11404A: with audio
- FS11404AP: with audio/Power



- FS1405: HDMI to VGA Adapter Coupler
- With Audio Cable
- With Power Cable



- FS11406: VGA to HDMI Adapter 0.2M
- With Audio Cable
- With Power Cable



- FS11407: VGA to HDMI Adapter Coupler
- With Audio Cable
- With Power Cable



FS11008A: Plastic molding A-A
FS11202A: Plastic molding A-C
FS11302A: Plastic molding A-D

Ultra Slim HDMI Cable

- ◆ Low profile, compact design and Ultra flexible cable construction
- ◆ 36AWG tinned copper, OD: 3.6±0.2mm
- ◆ High Speed HDMI Cable With Ethernet
- ◆ Support video resolutions up to 4K@60Hz
- ◆ Bandwidth Up to 18Gbps
- ◆ Supports HDR, HEC, ARC, 3D video, Deep Color and x.v. Color™
- ◆ Available Length: 0.5m, 1m, 1.5m, 1.8m, 3m, Active(5m, 7.5m, 10m)



FS11008B: ABS Shell A-A
FS11202B: ABS Shell A-C
FS11302B: ABS Shell A-D

Ultra Slim HDMI Cable with ABS Housing

- ◆ Low profile, compact design and Ultra flexible cable construction
- ◆ 36AWG tinned copper, OD: 3.6±0.2mm
- ◆ High Speed HDMI Cable With Ethernet
- ◆ Support video resolutions up to 4K@60Hz
- ◆ Bandwidth Up to 18Gbps
- ◆ Supports HDR, HEC, ARC, 3D video, Deep Color and x.v. Color™
- ◆ Available Length: 0.5m, 1m, 1.5m, 1.8m, 3m, Active(5m, 7.5m, 10m)



FS11008C: Aluminum Shell A-A
FS11202C: Aluminum Shell A-C
FS11302C: Aluminum Shell A-D

Ultra Slim HDMI Cable with Metal Housing

- ◆ Low profile, compact design and Ultra flexible cable construction
- ◆ 36AWG tinned copper, OD: 3.6±0.2mm
- ◆ High Speed HDMI Cable With Ethernet
- ◆ Support video resolutions up to 4K@60Hz
- ◆ Bandwidth Up to 18Gbps
- ◆ Supports HDR, HEC, ARC, 3D video, Deep Color and x.v. Color™
- ◆ Available Length: 0.5m, 1m, 1.5m, 1.8m, 3m, Active(5m, 7.5m, 10m)



- ☑ Thin
- ☑ Light
- ☑ Flexible

World's Thinnest & Most Flexible Coaxial HDMI Cable

- 85% Thinner 5 Times More Flexible Than Any Other HDMI Cable In Market.
- New Innovative Micro Coax Cable Technology Merges Superior HD Performance.
- Support Video Resolutions Up To 4k@60hz.
- Bandwidth Up To 18gbps
- Supports HDR, HEC, ARC, 3D Video, Deep Color And X. V. Color™
- Available Length:
40AWG OD 2.5mm: 0.3m, 0.5m, 0.8m, 1.0m, 1.2m,
36AWG OD 3.3mm: Up To 2.5mm
30awg Od: 4.8mm: Up To 6m , 12m (4k@30hz)



Application:

- Wearable Devices
- AR VR Wearable Glass
- UAV Drone
- UHD Camera
- Medical Devices



THINNEST HDMI CABLE 40AWG OD:2.5MM



Available in HDMI Type A, C, D at any angled direction



FS11009

A-A Straight



FS11203

A-C Straight



FS11303

A-D Straight



FS11203A

A-C Right/Left Angle



FS11303A

A-D Right/Left Angle



FS11303B

A-D Up/Down Angle



FS11305A

C-C Right/Left Angle



FS11306A

C-D Right/Left Angle



FS11307A

D-D Right/Left Angle



FS11307B

D-D Up/Down Angle

OEM Direction/Length




Ultra thin FPV 20 pin HDMI flat slim ribbon cable

- FARSINCE ultra slim flat HDMI FPV ribbon cable is idea for Multi copter Aerial Photography Typical application: connect your video device with HDMI port to video device with standard HDMI input. When the cable is too stiff, it may affect the gimbal performance especially for those light weight gimbals. This cable is very soft ,specially oriented brushless gimbal application ,suit for cameras with HDMI port.
- We offer HDMI Type A, C, D, male to female at any directions, You can freely combine whatever you want...
- Micro HDMI suitable for : GH4 GoPro BMPCC A5000 A6000 A7R A7S
- Mini HDMI suitable for : 5D3 5D2 GH3 GH2 5N 5T 5R 7N
- HDMI suitable for : RED BMCC FS7 C300
- Cable length: 5cm, 10cm, 15cm, 20cm, 25cm, 30cm, 50cm, 80cm, 100cm
- The Cable and Connectors is sold separated



How to Assemble It Manually?





FS11601

HDMI Female to Female coupler
Gold Plated Connector



FS11602A

HDMI male to Female coupler
Up/down angle
Gold Plated Connector



FS11602D

HDMI male to Female coupler
90 degree angle
Gold Plated Connector



FS11602C

HDMI Male to Female coupler
Rotation type
Gold Plated Connector



FS11602B

HDMI Male to Female coupler
Left/Right angle
Gold Plated Connector



FS11603

Mini HDMI Male to HDMI Female
coupler
Gold Plated Connector



FS11604

Micro HDMI Male
To HDMI Female coupler
Gold Plated Connector



FS11605

Mini HDMI Male
Micro HDMI Male
To HDMI Female coupler
3 in 1 Adapter
Gold Plated Connector



FS11606

HDMI Male to
DVI-D Dual link Female
Gold Plated Connector



FS11607

HDMI Female to
DVI-D Dual link Male
Gold Plated Connector





DisplayPort 1.4 8K Cable

- Model No.: FS12003
- Support Up to 8K@60Hz, 4K@144HZ
- Dynamic HDR and HDCP 2.2
- HBR3 Rated, Supports up to
- 32.4 Gbps bandwidth
- Length: 0.5M-5M



Braided DisplayPort 1.4 8K Cable

- Model No.: FS12004A
- Support Up to 8K@60Hz, 4K@144HZ
- Dynamic HDR and HDCP 2.2
- HBR3 Rated, Supports up to 32.4 Gbps bandwidth
- Length: 0.5M-5M



Braided DisplayPort 1.4 8K Cable

- Model No.: FS12004B
- Support Up to 8K@60Hz, 4K@144HZ
- Dynamic HDR and HDCP 2.2
- HBR3 Rated, Supports up to 32.4 Gbps bandwidth
- Length: 0.5M-5M



16K DisplayPort 2.0 Cable

- Model No.: FS12009
- Support up to 16K@60Hz, 10K@60Hz, 8K@60Hz, 4K@144Hz, 4K@60Hz
- Dynamic HDR 4:4:4 color format
- HBR3 Rated, Bandwidth up to 80Gbps
- Length: 0.5M-3M



DisplayPort 1.4 to HDMI 2.1 8K Cable

- Model No.: FS12005B
- DP Male/HDMI male
- Support up to 8K@60Hz
- Length: 1.8M



DisplayPort 1.4 to HDMI 2.1 8K Adapter

- Model No.: FS12101D
- DP Male/HDMI Female
- Support 8K@60Hz
- Length: 0.2M



Mini DisplayPort 1.4 8K Cable

- Model No.: FS12301B
- Mini DP male/male
- Support 8K@60Hz
- Length: 1.8M



Mini DisplayPort to DisplayPort 1.4 8K cable

- Model No.: FS12306
- Mini DP male/ DP male
- Support 8K@60Hz
- Length: 1.8M
- FS12306B: DP M-MINIDP F Adapter



DisplayPort 1.2v 4K Cable

- Model No.: FS12001
- DP Male/male
- Up to 4K@60Hz
- Length: 0.5M-20M



DisplayPort Extension Cable

- Model No.:FS12002
- DP Male/Female
- Up to 4K@60Hz
- Length: 0.5M-3M





4K DisplayPort to HDMI Male Cable

- Model No.: FS12005A
- DP Male/HDMI Male
- Support Up to 4K@60Hz
- Length: 1M, 1.8M, 3M, 5M
- Options: **A1:** 1080P, **A2:**4K@30Hz, **A3:** 4K@60Hz



DisplayPort to HDMI Adapter

- Model No.: FS12101A
- DP Male/HDMI Male
- Support Up to 4K@60Hz
- Length: 0.2M
- Options: **A1:** 1080P, **A2:**4K@30Hz, **A3:** 4K@60Hz



Braided 4K DisplayPort to HDMI Cable

- Model No.: FS12005C
- DP Male/VGA Male
- Support 4K@60Hz
- Length: 1M, 1.8M, 3M
- Options: **C1:** 1080P, **C2:**4K@30Hz, **C3:** 4K@60Hz



DisplayPort to DVI Adapter

- Model No.: FS12102
- DP Male/DVI-I 24+5 Female
- Support 1920*1080@60Hz
- Length: 0.2M



DisplayPort to DVI Cable

- Model No.: FS12006
- DP Male/DVI-D 24+1 male
- Support 1920*1080@60Hz
- Length: 1M, 1.8M, 3M



DisplayPort to VGA Female Adapter

- Model No.: FS12103
- DP Male/VGA Female
- Support 1920*1080@60Hz
- Length: 0.2M



DisplayPort to VGA Cable

- Model No.: FS12007
- DP Male/VGA HD15 Male
- Support 1920*1080@60Hz
- Length: 1M, 1.8M, 3M



DisplayPort to HDMI/VGA 2 In 1 Adapter

- Model No.: FS12104
- DP Male/HDMI, VGA Female
- HDMI Support 4K@30Hz
- VGA Support 1080P
- Length: 0.2M



Mini DisplayPort Cable

- Model No.: FS12301
- DP Male/Male
- Support 4K@60Hz
- Length: 1M, 1.8M, 3M



DisplayPort to HDMI/DVI/VGA 3 In 1 Adapter

- Model No.: FS12105A
- DP Male/HDMI,DVI, VAG Female
- Length: 0.2M
- **A1:** HDMI 4K@30Hz, DVI/VGA 1080P
- **A2:** HDMI /DVI/VGA all 1080P





Mini DisplayPort Cable

- Model No.: FS12302A
- Mini DP Male/HDMI Male
- Support Up to 4K@60Hz
- Length: 1M, 1.8M, 3M
- Options: **A1:** 1080P, **A2:**4K@30Hz, **A3:** 4K@60Hz



Mini DisplayPort to HDMI Adapter

- Model No.: FS12401A
- MINI DP Male/HDMI Female
- Support Up to 4K@60Hz
- Length: 0.2M
- Options: **A1:** 1080P, **A2:**4K@30Hz, **A3:** 4K@60Hz



Mini DisplayPort to DVI Cable

- Model No.: FS12303
- MINI DP Male/DVI-D 24+1 Male
- Support 1920*1080@60Hz
- Length: 1M, 1.8M, 3M



Mini DisplayPort to DVI Adapter

- Model No.: FS12402
- MINI DP Male/DVI-I 24+5 Male
- Support 1920*1080@60Hz
- Length: 0.2M



Mini DisplayPort to VGA Cable

- Model No.: FS12304
- MINI DP Male/VGA Male
- Support 1920*1080@60Hz
- Length: 1M, 1.8M, 3M



Mini DisplayPort to VGA Adapter

- Model No.: FS12403
- MINI DP Male/VGA Female
- Support 1920*1080@60Hz
- Length: 0.2M



Mini DisplayPort to DVI Adapter

- Model No.: FS12305
- DP Male/Mini DP male
- Support 4K@60hz
- Length: 1M, 1.8M, 3M



Mini DisplayPort to DisplayPort Adapter

- Model No.: FS12404
- MINI DP Male/ DP Female
- Support 4K@60Hz
- Length: 0.2M



HQ Mini DisplayPort to HDMI/VGA 2 in 1 Adapter

- Model No.: FS12405B
- MINI DP Male/HDMI/VGA Female
- HDMI Support 4K@30Hz
- VGA Support 1920*1080@60Hz
- Length: 0.2M



Mini DisplayPort to HDMI/VGA 2 in 1 Adapter

- Model No.: FS12405A
- MINI DP Male/HDMI/VGA Female
- HDMI Support 4K@30Hz
- VGA Support 1920*1080@60Hz
- Length: 0.2M





Mini DisplayPort to HDMI/DVI/VGA 3 in 1 Adapter

- Model No.: FS12406A
- MiniDP Male/HDMI,DVI,VAG Female
- Length: 0.2M
- **A1:** HDMI 4K@30Hz, DVI/VGA 1080P
- **A2:** HDMI /DVI/VGA all 1080P



Mini DisplayPort to 2* HDMI or 2 DP Female Adapter

- Model No.: FS2107 DP M/ 2 HDMI F
- Model No.: FS2108 DP M/ 2 DP F
- Support SST/MST
- Up to 4K@30Hz
- Length: 0.2M



DisplayPort to HDMI Coupler

- Model No.: FS12201
- DP Male to HDMI Female
- Adapter without Cable
- Options: **A1:** 1080P, **A2:**4K@30Hz, **A3:** 4K@60Hz



DisplayPort to DVI Coupler

- Model No.: FS12202
- DP Male to DVI 24+5 Female
- Adapter without Cable
- Support 1920*1080@60Hz



DisplayPort to VGA Coupler

- Model No.: FS12203
- DP Male to VGA Female
- Adapter without Cable
- Support 1920*1080@60Hz



DisplayPort to HDMI Coupler

- Model No.: FS12204
- DP Male to Mini DP Female
- Adapter without Cable
- Support Up to 4K@60Hz



DisplayPort to DisplayPort Coupler

- Model No.: FS12205
- DP Female to DP Female
- Adapter without Cable
- Support Up to 4K@60Hz



Mini DisplayPort to HDMI Female

- Model No.: FS12501A
- MDP Female to HDMI Female
- Adapter without Cable
- Options: **A1:** 1080P, **A2:**4K@30Hz



Mini DisplayPort to DisplayPort Female


- Model No.: FS12502
- MDP Female to DP Female
- Adapter without Cable
- Support Up to 4K@60Hz



Mini DisplayPort to VGA Adapter

- Model No.: FS12503
- MDP Male to VGA Female
- Adapter without Cable
- Support 1920*1080@60Hz





USB-C to HDMI Cable

- Model No.: FS13001A
- USB-C Male/ HDMI Male
- Gold Plated connector
- Length: 1M, 1.8M, 3M
- Options: **A1:** 4K@30Hz, **A2:** 4K@60Hz



Braided USB-C to HDMI Cable

- Model No.: FS13001B
- USB-C Male/ HDMI Male
- Aluminum Casing
- Length: 1M, 1.8M, 3M
- Options: **B1:** 4K@30Hz, **B2:** 4K@60Hz



USB-C to DisplayPort Cable

- Model No.: FS13004A
- USB-C Male/DP Male
- Gold Plated connector
- Support UP to 1080P
- Length: 1M, 1.8M, 3M



Braided 8K USB-C to HDMI Cable

- Model No.: FS13001D
- USB-C Male/ HDMI Male
- Aluminum Casing
- Support UP to 8K@30Hz
- Length: 1M, 1.8M, 3M



Braided USB-C to DisplayPort Cable

- Model No.: FS13004C
- USB-C Male/ DP Male
- Aluminum Casing
- Support UP to 4K@60Hz
- Length: 1M, 1.8M, 3M



8K USB-C to DisplayPort Cable

- Model No.: FS13004D
- USB-C Male/ DP Male
- Aluminum Casing
- Support UP to 8K@30Hz
- Length: 1M, 1.8M, 3M



USB-C to DVI-D cable

- Model No.: FS13002
- USB-C Male/ DVI 24+1
- Gold Plated connector
- Length: 1M, 1.8M, 3M



USB-C to VGA cable

- Model No.: FS13003
- USB-C Male/ VGA HD15 male
- Gold Plated connector
- Length: 1M, 1.8M, 3M



USB-C to Mini DisplayPort Cable


- Model No.: FS13005A
- USB-C Male/ MDP Male
- Gold Plated connector
- Length: 0.3M 0.5M 1M



USB-C to DB9 RS232 Cable

- FS13015: C to RS232 Male
- FS13016: C to RS232 female
- With drivers
- Length: 1.5M
- Chip Options: **A:** PL2303TA **B:** FTDI FT232





USB-C to Mini USB 2.0 cable

- Model No.: FS13009
- USB-C Male/ MINI 5P Male
- Nickel Plated connector
- Support 480Mbps
- Length: 0.3M 1M 1.8M



USB-C to Micro USB 2.0 Male cable

- Model No.: FS13010
- USB-C Male/ Micro USB Male
- Nickel Plated connector
- Support 480Mbps
- Length: 0.3M 1M 1.8M



USB-C to SATA cable

- FS13006A: For 2.5" Hard drive
- FS13006B: For 2.5"/3.5" Hard drive
- FS13006C: C to IDE and SATA Converter
- USB-C Male/ SATA Male
- Supports SATA 1.5/3/6 Gb/s
- Length: 0.3M



USB-C to USB 2.0 B male cable

- Model No.: FS13008
- USB-C Male/ USB B Male
- Nickel Plated connector
- Support 480Mbps
- Length: 0.3M 1M 1.8M



USB-C to USB 3.0 BM Printer cable

- Model No.: FS13012
- USB-C Male/ USB 3.0 B Male
- Nickel Plated connector
- Support 5Gbps
- Length: 0.3M 1M 1.8M



USB-C to Micro USB 3.0 cable

- Model No.: FS13013
- USB-C Male/ Micro USB 3.0 Male
- Nickel Plated connector
- Support 5Gbps
- Length: 0.3M 1M 1.8M



USB-C to USB 3.0 OTG cable, Plastic Shell

- Model No.: FS13015A
- USB-C Male/ USB 3.0 A Female
- Support 5Gbps, OTG function
- Length: 0.3M 0.5M, 1M



Braided USB-C to USB 3.0 OTG Cable

- Model No.: FS13015C
- USB-C Male/ USB 3.0 A Female
- Support 5Gbps, OTG function
- Aluminum shell with braided mesh
- Length: 0.3M 0.5M, 1M



USB-C Male to Female Extension Cable

- Model No.: FS13014
- USB-C Male/ Female
- Gold Plated connector
- Support 20V 5A 100W, 10Gbps
- Length: 0.3M




A: Straight



B: left/right angle



C: Up/Down angle



USB-C to HDMI Female Adapter

- Model No.: FS13101A
- USB-C Male/ HDMI Female
- Support UP to 4K@60Hz
- Length: 0.15M
- A1: 4K@30Hz, A2: 4K@60Hz



USB-C to HDMI Female Adapter, Aluminum

- Model No.: FS13101B
- USB-C Male/ HDMI Female
- Support UP to 4K@60Hz
- Length: 0.15M
- A1: 4K@30Hz, A2: 4K@60Hz



Braided USB-C to HDMI Female Adapter

- Model No.: FS13101C
- USB-C Male/ HDMI Female
- Support UP to 4K@60Hz
- Length: 0.15M
- A1: 4K@30Hz, A2: 4K@60Hz



USB-C to HDMI Female Adapter

- Model No.: FS13101D
- USB-C Male/ HDMI Female
- Support UP to 4K@60Hz
- Length: 0.15M
- A1: 4K@30Hz, A2: 4K@60Hz



8K USB-C to HDMI Adapter

- Model No.: FS13101E
- USB-C Male/ HDMI Female
- Support UP to 8K@30Hz



USB-C to DisplayPort Adapter

- Model No.: FS13104A
- USB-C Male/ DP Female
- Nickel Plated connector
- Support UP to 4K@60Hz
- Length: 0.15M



USB-C to DisplayPort Adapter

- Model No.: FS13104B
- USB-C Male/ DP Female
- Nickel Plated connector
- Support UP to 4K@60Hz
- Length: 0.15M



8K USB-C to DisplayPort Adapter

- Model No.: FS13104C
- USB-C Male/ DP Female
- Nickel Plated connector
- Support UP to 8K@60Hz
- Length: 0.15M



USB-C to Mini DisplayPort Adapter


- Model No.: FS13105A
- USB-C Male/ Mini DP Female
- Support UP to 4K@60Hz
- Length: 0.15M



USB-C to Mini DisplayPort Adapter, Aluminum

- Model No.: FS13105B
- USB-C Male/ Mini DP Fem.
- Support UP to 4K@60Hz
- Length: 0.15M





USB-C to DVI 24+5 Female Adapter

- Model No.: FS13102A
- USB-C Male/ DVI-I Female
- Support UP to 1080P
- Length: 0.15M



USB-C to DVI 24+5 Female Adapter, Aluminum

- Model No.: FS13102B
- USB-C Male/ DVI-I Female
- Support UP to 1080P
- Length: 0.15M



USB-C to VGA Female Adapter

- Model No.: FS13103A
- USB-C Male/ VGA Female
- Support UP to 1080P
- Length: 0.15M



USB-C to VGA Female Adapter, Aluminum

- Model No.: FS13103B
- USB-C Male/ VGA Female
- Support UP to 1080P
- Length: 0.15M



USB-C to RJ45 Ethernet Adapter

- Model No.: FS13106A
- USB-C Male/ RJ45 Female
- Length: 0.15M
- A1: 100M A2: Gigabit



USB-C to RJ45 Ethernet Adapter, Aluminum

- Model No.: FS13106B
- USB-C Male/ RJ45 Female
- Length: 0.15M
- A1: 100M A2: Gigabit



USB-C to HDMI USB PD 3 IN 1 Adapter

- Model No.: FS13201B
- HDMI Support 4K@30Hz
- USB 3.0 Support 5Gbps
- PD Support up to 100W
- Length: 0.15M
- Chip: AG9311



USB-C to HDMI USB PD 3 IN 1 Adapter, Smaller

- Model No.: FS13201C
- USB 3.0 Support 5Gbps
- PD Support up to 100W
- Length: 0.15M
- C1: AG9311 HDMI 4K@30Hz
- C2: LT8711UX HDMI 4K@60Hz



USB-C to VGA USB PD 3 IN 1 Adapter


- Model No.: FS13202B
- VGA Support 1080P
- USB 3.0 Support 5Gbps
- PD Support up to 100W
- Length: 0.15M



USB-C to Min DP USB PD 3 IN 1 Adapter

- Model No.: FS31203A
- Mini DP Support 4K@30Hz
- USB 2.0 Support 480Mbps
- PD Support up to 100W
- Length: 0.15M





USB-C to 3 Ports USB Hub with PD, Aluminum Shell

- Model No.: FS13204B
- Support 5Gbps
- PD Support up to 87W
- Length: 0.15M
- **B1:** 3USB 3.0+PD
- **B2:** USB3.0+2USB2.0+PD



USB-C to 3 Ports Hub with Ethernet Adapter

- Model No.: FS13205B
- RJ45 Support Gigabit Ethernet
- Length: 0.15M
- **B1:** 3USB 2.0+100M LAN
- **B2:** 3USB3.0+ Gigabit LAN



USB-C to HDMI VGA Adapter

- Model No.: FS3206A
- Mini DP Support 4K@30Hz
- USB 2.0 Support 480Mbps
- PD Support up to 60W
- Length: 0.15M



USB-C to HDMI VGA Adapter, Aluminum Shel

- Model No.: FS3206B
- Mini DP Support 4K@30Hz
- USB 2.0 Support 480Mbps
- PD Support up to 60W
- Length: 0.15M



USB-C to HDMI, VGA, USB3.0 PD 4 IN 1 HUB

- Model No.: FS13206C
- HDMI: 4K@30Hz
- VGA: 1080P
- USB 3.0: 5GbpsSupport
- PD: Up to 100W
- Length: 0.15M



USB-C to Dual*HDMI(DP)Female Adapter

- Model No.: FS13207
- Support SST/MST
- Up to 4K@60Hz
- Length: 0.15M
- **A:** Dual HDMI, **B:** Dual DP, **C:** HDMI+DP



USB-C to Dual HDMI, USB3.0, PD 4 IN 1 HUB

- Model No.: FS13207D
- Support SST/MST
- HDMI: Up to 4K@60Hz
- USB3.0: 5Gbps; PD: Up to 100W
- Length: 0.15M



USB-C to 2 HDMI VGA RJ45 2U3 TF SD PD 9 IN I HUB

- Model No.: FS13207E
- Support SST/MST
- HDMI: Up to 4K@60Hz
- USB3.0: 5Gbps; PD: Up to 100W
- Length: 0.15M



USB-C to HDMI 2USB PD 4 IN 1 HUB


- Model No.: FS13208A
- HDMI 4K@30Hz
- PD up to 60W
- Length: 0.15M
- **A1:** HDMI+2USB3.0+PD
- **A2:** HDMI+USB3.0+USB2.0+PD



USB-C to HDMI 3USB 4 IN 1 Hub

- Model No.:FS13208B
- HDMI: 4k@30Hz
- USB3.0: 5Gbps
- Length: 0.15M
- **B1:** HDMI+3USB3.0
- **B2:** HDMI+USB3.0+2USB2.0





USB-C to 4 Ports USB Hub

- Model No.: FS13208C
- Length: 0.15M
- **C1:** 4USB 3.0
- **C2:** USB3.0+3USB2.0



USB-C to HDMI DVI VGA USB 4 IN 1 HUB

- Model No.: FS13208D
- HDMI: 4K@30Hz
- DVI/VGA: 1080P
- USB3.0: 5Gbps
- Length: 0.15M



USB-C to HDMI 2USB SD TF 5 IN 1 HUB

- Model No.: FS13209A
- HDMI: 4K@30Hz
- USB 3.0: 5Gbps
- Length: 0.15M



USB-C to HDMI 2USB SD TF 5 IN 1 COMBO

- Model No.: FS13209B
- HDMI: 4K@30Hz
- USB 3.0: 5Gbps
- Length: 0.15M



USB-C to HDMI3USB+PD 5 IN 1 HUB

- Model No.: FS13209C
- HDMI: 4K@30Hz
- PD: Up to 100W
- Length: 0.15M
- **C1:** HDMI+USB3.0+2USB2.0+PD
- **C2:** HDMI+3USB3.0+PD



USB-C to HDMI 4 USB 5 IN 1 HUB

- Model No.: FS13209D
- HDMI: 4K@30Hz
- PD: Up to 100W
- Length: 0.15M
- **D1:** HDMI+4 USB3.0
- **D2:** HDMI+USB3.0+3USB2.0



USB-C to HDMI RJ45 2USB PD 5 IN 1 HUB

- Model No.: FS13209F
- HDMI: 4K@30Hz
- USB3.0: 5Gbps; PD: Up to 100W
- Length: 0.15M
- **F1:** HDMI+2USB3.0+PD+100M LAN
- **F2:** HDMI+USB2.0+USB3.0+PD+Gagibit LAN



USB-C to HDMI VGA USB PD Audio 5 IN 1 HUB

- Model No.: FS13209G
- HDMI: 4K@30Hz
- VGA: 1080P
- USB3.0: 5Gbps; PD: Up to 100W
- Length: 0.15M



USB-C to HDMI 3USB SD TF 6 IN 1 HUB


- Model No.: FS13210A
- HDMI 4K@30Hz
- USB3.0+2USB2.0
- Length: 0.15M



USB-C to HDMI 2USB SD TF PD 6 IN 1 HUB

- Model No.: FS13210B
- HDMI 4K@30Hz
- USB3.0+USB2.0
- PD up to 100W
- Length: 0.15M





USB-C to HDMI VGA 3USB PD 6 IN 1 HUB

- Model No.: FS13210C
- HDMI 4K@30Hz, VGA: 1080P
- 3*USB3.0: 5Gbps
- PD up to 100W
- Length: 0.15M



USB-C to HDMI LAN 3USB PD 6 IN 1 HUB

- Model No.: FS13210D
- HDMI 4K@30Hz; LAN: Gigabit
- 3USB3.0: 5Gbps
- PD up to 100W
- Length: 0.15M



USB-C to HDMI LAN SD TF USB3.0 PD

- Model No.: FS13210E
- HDMI 4K@30Hz; LAN: Gigabit
- USB3.0: 5Gbps
- PD up to 100W
- Length: 0.15M



USB-C to HDMI 3USB SD TF PD 7 IN 1 HUB

- Model No.: FS13211A1
- HDMI: 4K@30Hz
- 3*USB 3.0: 5Gbps
- PD: up to 100W
- Length: 0.15M



USB-C to HDMI 3USB SD TF PD 7 IN 1 HUB

- Model No.: FS13211A2
- HDMI: 4K@30Hz
- USB 3.0: 5Gbps
- 2USB 2.0: 480Mbps
- PD: up to 100W
- Length: 0.15M



USB-C to HDMI LAN 2USB SD TF PD

- Model No.: FS13211B
- HDMI: 4K@30Hz
- LAN: Gigabit
- 2*USB 3.0: 5Gbps
- PD: up to 100W
- Length: 0.15M



USB-C to HDMI 2USB SD TF USB-C PD 7 IN 1 HUB

- Model No.: FS13211C
- HDMI: 4K@30Hz
- 2USB 3.0: 5Gbps
- USB-C: 5Gbps
- PD: up to 100W
- Length: 0.15M



USB-C to HDMI LAN 2USB SD TP USB C PD 8 IN 1 HUB

- Model No.: FS13212A
- HDMI: 4K@30Hz; LAN: 100M
- USB3.0+USB2.0
- USB-C: 5Gbps;
- PD: Up to 100W
- Length: 0.15M



USB-C to HDMI LAN VGA 3USB SD TP 3.5 PD 10 IN 1 HUB


- Model No.: FS13214B2
- HDMI 4K@30Hz, VGA:1080P
- LAN: Gigabit, USB 3.0*2
- PD: Up to 100W
- Length: 0.15M



USB-C to HDMI VGA USB*3 USB-C LAN SD TF 3.5 PD 11 IN 1 HUB

- Model No.: FS13215A
- HDMI 4K@30Hz, VGA:1080PLAN: Gigabit,
- USB 3.0*2, USB2.0*1
- PD: Up to 100W
- Length: 0.15M





USB-C to HDMI VGA LAN 4USB SD TF PD Audio 11 IN 1 HUB

- Model No.: FS13215B
- HDMI: 4K@30HZ; VGA: 1080P; LAN: 100M
- 4*USB 3.0: 5Gbps; SD/TF: 2.0
- 3.5mm Audio: Output
- Length: 0.15M



USB-C to Dual HDMI VGA LAN 3USB USB-C SD TF PD Audio 12 IN 1 HUB

- Model No.: FS13216A
- HDMI: 4K@30HZ; VGA: 1080P; LAN: 100M
- 2*USB 3.0+USB-C : 5Gbps; 1*USB 2.0: 480Mbps; SD/TF: 2.0
- 3.5mm Audio: Output
- Length: 0.15M



USB-C to HDMI DP VGA LAN 3USB USB-C SD TF PD Audio 12 IN 1 HUB

- Model No.: FS13216B
- HDMI+DP: 4K@30HZ; VGA: 1080P; LAN: Gigabit
- 2*USB 3.0+USB-C : 5Gbps; 1*USB 2.0: 480Mbps; SD/TF: 2.0
- 3.5mm Audio: Output
- Length: 0.15M



USB-C to Micro USB Adapter

- Model No.: FS13301
- C Male/Micro USB Female
- Support 480Mbps
- Aluminum Shell



USB-C to USB 3.0 Female Adapter

- Model No.: FS13302
- C Male/ USB 3.0 Female
- Support 5Gbps
- Aluminum Shell



USB-C Female to USB 3.0 Male Adapter


- Model No.: FS13303
- C Female/ USB 3.0 Male
- Aluminum Shell
- A: USB 3.0
- B: USB2.0



USB-C Male to Female Extension Adapter

- Model No.: FS13304
- USB-C Male to Female
- Support 5Gbps
- Aluminum Shell





Thunderbot 4 Cable

- Model No.: FS16703
- Coaxial Cable, TPE jacket
- 40Gbps, 20V 5A 100W
- Support 8K Resolution, PCI-E protocol
- Length: 0.5m, 0.8m, 1m, 2m,



Thunderbolt 3 Cable

- Model No.: FS16701
- Coaxial Cable, TPE jacket
- 40Gbps, 20V 5A 100W
- Support 5K Resolution, PCI-E protocol
- Length: 0.5m, 0.8m, 1m, 2m,



USB 4 Cable

- Model No.: FS16701
- Twisted Cable
- 40Gbps, 20V 5A 100W
- Support 8K Resolution
- Length: 0.5m, 0.8m, 1m, 2m



USB 3.2 Type C Cable, Aluminum Casing

- Model No.: FS16412C
- Type C male to male
- C1: Gen2 10Gbps 5A 100W
- C2: Gen 1 5Gbps 3A
- Length: 0.5m, 0.8m, 1m, 1.8m, 3m



USB C 2.0 5A 100W Charging cable

- Model No.: FS16410B
- USB 2.0 C male to male
- Support 480Mbps, 5A 100W
- Length: 1m, 2m



USB C 3A 60W Charging Cable

- Model No.: FS16409C
- USB 2.0 C male to male
- Support 480Mbps, 3A 60W
- Length: 0.3m, 0.5m 1m, 1.5m, 2m,



USB C to C Cable, Injection mold

- Model No.: FS16411
- A: USB 2.0 480Mbps
- B: USB 3.0 5Gbps, 3A 60W
- C: USB3.2 Gen2 10Gbps 3A 60W
- Length: 0.5m, 0.8m, 1m, 1.5m, 2m



USB C 2.0 5A 100W Magnetic Cable

- Model No.: FS16503A
- Magnetic connector with light
- USB 2.0 C male to male
- Support 480Mbps, 5A 100W
- Length: 1.5m,



USB C 2.0 5A 100W Magnetic Cable, Angle type

- Model No.: FS16503B
- Angle Type
- USB 2.0 C male to male
- Support 480Mbps, 5A 100W
- Length: 1.5m,



USB C 3.2 Gen2 10Gbps 5A 100W Magnetic Cable

- Model No.: FS16503C
- Magnetic connector with light
- Support 10Gbps, 5A 100W
- Support 4K@60Hz
- Length: 1.5m,





USB to Lightning Charge Cable

- Model No.: FS16413A
- USB 2.0 AM/Lightning
- Support 480Mbps, 5V/2A
- Length: 1M
- MFI Certificate



Braided USB to Lightning Charge Cable

- Model No.: FS16413B
- USB 2.0 AM/Lightning
- Support 480Mbps, 5V/2A
- Length: 1M
- MFI Certificate



Braided USB to Lightning Charge Cable

- Model No.: FS16404A
- USB 2.0 AM/Lightning
- Support 480Mbps, 5V/2A
- Length: 1M, 1.5M, 2M



Braided Micro USB Charge Cable

- Model No.: FS16404C
- USB 2.0 AM/Micro USB
- Support 480Mbps, 5V/3A
- Length: 1M, 1.5M, 2M



5A Braided USB to Type C Charge cable

- Model No.: FS16404B
- USB 2.0 AM/USB-C
- Support 480Mbps, 4.5V/5A, 10V/4A, 5V/4.5A, 5V/2A
- Length: 0.5m, 1m, 1.5m, 2m



6.5A USB to Type C Charge cable

- Model No.: FS16407
- USB 2.0 AM/USB-C
- Support Huawei Super Charge + OPPO Flash Charge
- 295 Cores Copper wire
- Length: 0.5m, 1m, 1.5m, 2m



PD20W USB C to Lightning Charging Cable, Charger

- USB-C/ Lightning
- Support 480Mbps, 20W, 18W
- Length: 1m
- FS16414-PD: Charger
- FS16414A: PD Cable
- FS16414C: PD Cable, MFI certificated



Braided PD20W USB C to Lightning Charging Cable

- Model No.: FS16414B
- USB 2.0 AM/ Lightning
- Support 480Mbps,
- PD20W, PD18W
- Length: 1m, 2m



High quality 5A 3 in 1 Charging Cable

- Model No.: FS16604
- USB 2.0 AM/USB-C, Micro, Lightning
- Support 480Mbps, 6A
- Length: 1.2m, 2m



High quality 6A 3 in 1 Charging Cable

- Model No.: FS16607
- USB 2.0 AM/USB-C, Micro, Lightning
- Support 480Mbps, 6A
- Length: 1.2m, 2m





USB 3.0 Cable

- Model No.: FS16101
- USB 3.0 A Male/ A Male
- Support 5Gbps
- Length: 0.3m, 1m, 1.8m 3m



USB 3.0 Extension Cable

- Model No.: FS16102
- USB 3.0 A Male/ A Female
- Support 5Gbps
- Length: 0.3m, 1m, 1.8m 3m



USB 3.0 Active Extension Cable

- Model No.: FS16103
- USB 3.0 A Male/ A Female
- Support 5Gbps
- With Active Chipset
- Length: 5m, 10m, 15m, 20m



USB 3.0 Printing Cable

- Model No.: FS16104
- USB 3.0 A Male/ B Male
- Support 5Gbps
- Length: 0.3m, 1m, 1.8m 3m



Micro USB 3.0 Cable

- Model No.: FS16105
- USB 3.0 A Male/ Micro
- Support 5Gbps
- Length: 0.3m, 1m, 1.8m 3m



USB 2.0 Cable

- Model No.: FS16001
- USB 2.0 A Male/ A Male
- Support 480Mbps
- Length: 0.3m, 1m, 1.8m 3m



USB 2.0 Extension Cable

- Model No.: FS16002
- USB 2.0 A Male/ A Female
- Support 480Mbps
- Length: 0.3m, 1m, 1.8m 3m



Active USB 2.0 Extension Cable

- Model No.: FS16003
- USB 2.0 A Male/ A Female
- Support 480Mbps
- With Active Chipset
- Length: 5m, 10m, 15m, 20m



USB 2.0 Printing Cable

- Model No.: FS16004
- USB 2.0 A Male/ B Male
- Support 480Mbps
- Length: 0.3m, 1m, 1.8m 3m



Mini USB 2.0 Cable

- Model No.: FS16005
- USB 2.0 A Male/ Mini 5P Male
- Support 480Mbps
- Length: 0.3m, 1m, 1.8m 3m





USB 3.0 to HDMI Adapter

- Model No.: FS16201
- USB 3.0 A Male/ HDMI Female
- Support up to 1080P
- System: Windows XP/7/8/10, OS X10.6-10.8
- FL2000 chipset, no drive required
- Length: 0.2m



USB 3.0 to VGA Adapter

- Model No.: FS16202
- USB 3.0 A Male/ VGA Female
- Support up to 1080P
- System: Windows7/8/10
- FL2000 chipset, no drive required
- Length: 0.2m



USB 3.0 to HDMI VGA 2 IN 1 Adapter

- Model No.: FS16205
- System: Windows XP/Vista/7/8/10, OS X10.6-10.8
- Length: 0.2m
- FL2000 chipset, no drive required



USB 4 Ports Hub

- Model No.: FS6320
- USB A Male/ Female*4
- Support up to 5Gbps
- System: Windows XP/Vista/7/8/10/Mac
- Length: 0.3m
- A: 4*USB3.0. B: USB3.0+3USB2.0. C: 4*usb2.0



USB 3.0 to SATA 22P Adapter

- Model No.: FS16203A
- USB 3.0 A Male/ SATA Male
- Support up to 6Gbps, OTG
- System: Windows XP/Vista/7/8/10/Mac
- Length: 0.2m
- PS: Only support 2.5" SATA SSD hard drive, Do not support 3.5" HDD and CD-ROM



USB 3.0 to IDE and SATA Converter

- Model No.: FS16203C
- Support 2.5/3.5 HDD/SSD
- Support up to 5Gbps
- Supports drives up to 4 TB
- On/Off Switch for HDD protection
- Windows XP/Vista/7/ 8/10 (32bit and 64bit); Mac OS 10.X.
- Length: 0.5M



USB 3.0 to IDE and SATA Converter

- Model No.: FS16203B
- USB 3.0 A Male/ SATA Male
- Support up to 6Gbps, OTG
- System: Windows XP/Vista/7/8/10/Mac
- Length: 0.2m
- Support both 2.5" and 3.5" SSD HDD
- Support DC 12V power input



USB 2.0 extender

- Model No.: FS16206
- Up to extend 50meter
- Plug and plug, no extra power need
- System: Windows XP/Vista/7/8/10/Mac
- Length: Adapter/1.5m



USB 2.0 to Ethernet Adapter, 100M

- Model No.:FS16204A
- USB 2.0 A Male/ RJ45 female
- 100M LAN
- ABS Shell
- Length: 1.5m



USB 3.0 to Ethernet Adapter, Gigabit

- Model No.:FS16204B
- USB 3.0 A Male/ RJ45 female
- 1000M Gigabit LAN
- Aluminum Shell
- Length: 1.5m





USB 2.0 to RS232 male Cable

- Model No.: FS16301B
- USB 3.0 to RS232 male
- With drivers
- Length: 1.5M
- Chip Options: **B1:** PL2303TA **B2:** FTDI FT232



USB 2.0 to RS232 male Adapter

- Model No.: FS16301A
- USB 3.0 to RS232 male
- With drivers
- Chip Options: **A1:** PL2303TA **A2:** FTDI FT232



USB 2.0 to RS232 female Cable

- Model No.: FS16302B
- USB 3.0 to RS232 male
- With drivers
- Length: 1.5M
- Chip Options: **B1:** PL2303TA **B2:** FTDI FT232



USB 2.0 to RS232 female adapter

- Model No.: FS16302A
- USB 3.0 to RS232 male
- With drivers
- Length: 1.5M
- Chip Options: **B1:** PL2303TA **B2:** FTDI FT232



USB to DB25 Adapter

- Model No.:FS16306
- USB 2.0 A Male/ DB25 female
- Used for old printer
- System: Windows XP/Vista/7/8/10/Mac
- Length: 1.5m



USB to CN36 Adapter

- Model No.:FS16307
- USB 2.0 A Male/ CN36 Male
- Used for old printer
- System: Windows XP/Vista/7/8/10/Mac
- Length: 1.5m





DVI Cable

- FS14001A: DVI-D Signal link 18+1
- FS14001B: DVI-D Dual link 24+1
- FS14001C: DVI-1 Dual link 24+5
- Support 1920*1080/2580*1600
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m



DVI Cable, Aluminum Shell

- FS14002A: DVI-D Signal link 18+1
- FS14002B: DVI-D Dual link 24+1
- FS14002C: DVI-1 Dual link 24+5
- Support 1920*1080/2580*1600
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m



DVI Cable, 90/270° angle type

- FS14004A: DVI-D Signal link 18+1
- FS14004B: DVI-D Dual link 24+1
- FS14004C: DVI-1 Dual link 24+5
- Support 1920*1080/2580*1600
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m



DVI M/F Extension Cable

- FS14003A: DVI-D Signal link 18+1
- FS14003B: DVI-D Dual link 24+1
- FS14003C: DVI-1 Dual link 24+5
- Support 1920*1080/2580*1600
- Length: 1m, 1.8m, 3m, 5m



DVI to VGA Cable

- Model No.: FS14101
- DVI 12+5 Male/VGA Male
- Support up to 1080P
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m



DVI to VGA Cable, 90/270° angle type

- Model No.: FS14101A
- DVI 12+5 Male/VGA Male
- Support up to 1080P
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m



Active DVI-D to VGA Adapter

- Model No.: FS14102
- DVI 24+1 Male/VGA Female
- Support up to 1080P
- Which chip
- Length: 0.2M



DVI 24+5 Male to VGA Female Adapter

- Model No.: FS14103
- DVI 24+5 Male/VGA Female
- Support up to 1080P
- Gold plated Connector



DVI 24+5 Female to VGA Male Adapter

- Model No.: FS14104
- DVI 24+5 Female/VGA Male
- Support up to 1080P
- Gold plated Connector



DVI 24+1 Male to Female Adapter

- Model No.: FS14105
- DVI 24+1 Male/ Female
- Support up to 1080P
- Gold plated Connector





VGA Monitor Cable

- Model No.: FS15001
- VGA Male to Male
- Support 1920*1080@60Hz
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m, 15m, 20m, 25m, 30m



VGA Monitor Cable Pro, Aluminum Shell

- Model No.: FS15002
- VGA Male to Male
- Support 1920*1080@60Hz
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m, 15m, 20m, 25m, 30m



VGA Extension Cable

- Model No.: FS15003
- VGA Male to Female
- Support 1920*1080@60Hz
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m, 15m, 20m,



VGA Extension Cable Pro, Aluminum Shell

- Model No.: FS15003A
- VGA Male to Female
- Support 1920*1080@60Hz
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m, 15m, 20m,



VGA Monitor Cable with Audio

- Model No.: FS15001A
- VGA Male to Male/3.5mm
- Support 1920*1080@60Hz
- Length: 1m, 1.8m, 3m, 5m, 7.5m, 10m, 15m, 20m, 25m, 30m



VGA KVM Cable

- Model No.: FS15005(Length: 1.8M 3M 5M)
- VGA Male to VGA Male/PS2 6Pin Mini Din/USB



VGA Male to 2*Female Splitter Cable

- Model No.: FS15004
- VGA Male / 2* Female
- Support up to 1920*1080@60Hz
- Length: 25cm



HD15 VGA Coupler Male to Female

- Model No.: FS15201
- VGA Male / Female
- Support up to 1920*1080@60Hz



HD15 VGA Coupler Male to Male


- Model No.: FS15202
- VGA Male / Male
- Support up to 1920*1080@60Hz



HD15 VGA Coupler Female to Female

- Model No.: FS15203
- VGA Female to Female
- Support up to 1920*1080@60Hz





SATA II Cable

- Model No.: FS19001
- SATA 7PIN*2
- Built with sturdy metal latch
- Support up to 3Gb transfer rate
- Length: 0.3m, 0.5m, 1m



SATA II Cable, Angled

- Model No.: FS19002
- SATA 7PIN*2
- Built with sturdy metal latch
- Support up to 3Gb transfer rate
- Length: 0.3m, 0.5m, 1m



SATA III Cable

- Model No.: FS19101
- SATA 7PIN*2
- Built with sturdy metal latch
- Support up to 6Gb transfer rate
- Length: 0.3m, 0.5m, 1m



SATA III Cable, Angled

- Model No.: FS19102
- SATA 7PIN*2
- Built with sturdy metal latch
- Support up to 6Gb transfer rate
- Length: 0.3m, 0.5m, 1m



SATA Power Cable

- Model No.: FS19205
- SATA 22PIN to SATA 7PIN/5.25"
- Length: to SATA 50CM
to 5.25" 16CM



SATA 15P male to 2 15P female Cable

- Model No.: FS19207
- 15PIN male x1
- 15PIN female x2
- Length: 15CM



SATA Internal Power Cable

- Model No.: FS19203
- SATA 15-Pin Male
- 5.25" 4Pin Female
- Length: 15CM



SATA Internal Power Cable

- Model No.: FS19201
- SATA 15-Pin Female
- 5.25" 4 PIN Male
- Length: 15CM



SATA Internal Power Cable

- Model No.: FS19204
- SATA 15-Pin Female
- 5.25" Male
- 5.25" Female
- Length: 30CM



Internal Power Cable

- Model No.: FS19206
- 5.25" Female x 2
- 5.25" Male x 1
- Length: 20CM





3.5mm Stereo Audio Cable

- Model No.: FS18001A
- 3.5mm Stereo male*2
- PVC Jacket
- Length: 0.5m, 1m, 1.2m, 2m, 3m, 5m



3.5mm Stereo Audio Cable, Aluminum

- Model No.: FS18001B
- 3.5mm Stereo male*2
- PVC Jacket
- Length: 0.5m, 1m, 1.2m, 2m, 3m, 5m



3.5mm Audio Extension Cable

- Model No.: FS18003A
- 3.5mm Stereo male/female
- PVC Jacket
- Length: 0.5m, 1m, 1.2m, 2m, 3m, 5m



3.5mm Audio Extension Cable, Aluminum

- Model No.: FS18003B
- 3.5mm Stereo male/female
- PVC Jacket
- Length: 0.5m, 1m, 1.2m, 2m, 3m, 5m



3.5mm Audio Splitter Cable

- Model No.: FS18004
- PVC Jacket
- Length: 0.2m
- A: 3PIN Male to 2 female
- B: 4PIN Male to 2 female
- C: 4PIN Female to 2 male



3.5mm Audio Splitter Cable, Aluminum

- Model No.: FS18005
- Aluminum
- Length: 0.2m
- A: 3PIN Male to 2 female
- B: 4PIN Male to 2 female
- C: 4PIN Female to 2 male



3.5mm to 2 RCA Cable

- Model No.: FS18009
- 3.5mm Stereo Male
- RCA Male* 2
- PVC Jacket
- Length: 0.2m



3.5mm to 2 RCA Cable, Aluminum


- Model No.: FS18009A
- 3.5mm Stereo Male
- RCA Male* 2
- PVC Jacket
- Length: 0.2m



Premium RCA Audio Video Cables

- FS18101A: RCA to RCA
- FS18102A: 2RCA to 2RCA
- FS18103A: 3RCA to 3RCA
- PVC Jacket
- Length: 1m, 1.8m, 3m





Thunderbolt 3 Panel Mount Extension Cable

- Model No.: FSP3018
- Thunderbolt 3 Male/Female
- #4-40 screw
- Hole pitch: 25mm
- Support 40Gbps
- Length: 0.3m



USB-C 3.1 Panel Mount Extension Cable

- Model No.: FSP3012
- USB-C Male/Female with screw
- #4-40 or M30
- Hole Pitch: 25mm or 17mm
- Support 10Gbps
- Length: 0.3m



USB-C 3.1 Panel Mount Extension Cable, angled

- Model No.: FSP3013
- USB-C Male/Female with screw
- #4-40 or M30
- Hole Pitch: 25mm or 17mm
- Support 10Gbps
- Length: 0.3m



USB-C 3.1 F/F Panel Mount Cable

- Model No.: FSP3011
- USB-C Female/Female
- #4-40 or M30
- Hole Pitch: 25mm or 17mm
- Support 10Gbps
- Length: 0.3m



PS: Only works at one direction

USB-C Male to USB 3.0 Female Panel Mount Cable

- Model No.: FSP3014
- USB-C Female
- USB 3.0 Female with screw
- #4-40 or M30
- Support 5Gbps
- Length: 0.2m; Hole Pitch: 25mm



USB-C Female to USB 3.0 Male Panel Mount Cable

- Model No.: FSP3015
- USB 3.0 Male
- USB-C Female with screw
- #4-40 or M30
- Support 5Gbps/480Mbps
- Length: 0.2m; Hole Pitch: 25mm



USB-C Female to USB 2.0 Male Panel Mount Cable

- Model No.: FSP3016
- USB-C Female
- USB-C Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m Hole Pitch: 25mm



USB-C Female to USB 2.0 Female Panel Mount Cable

- Model No.: FSP3017
- USB 2.0 Female
- USB-C Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m; Hole Pitch: 25mm



USB 3.0 Female to Female Panel Mount Cable


- Model No.: FSP3008
- USB 3.0 Female
- USB 3.0 Female with screw
- #4-40 or M30
- Support 5Gbps
- Length: 0.2m Hole Pitch: 25mm 27mm 30mm



USB 3.0 M/F Panel Mount Extension Cable

- Model No.: FSP3009
- USB 3.0 Male
- USB 3.0 Female with screw
- #4-40 or M30
- Support 5Gbps
- Length: 0.2m Hole Pitch: 25mm 27mm 30mm





USB 3.0 AF/BF Panel Mount Cable

- Model No.: FSP3010
- USB 3.0 B Female with screw
- USB 3.0 A Female with screw
- #4-40 or M3
- Support 5Gbps
- Length: 0.2m; Hole Pitch: 25mm 27mm 30mm



USB 2.0 F/F Panel Mount Cable

- Model No.: FSP3005
- USB 2.0 A Female
- USB 2.0 A Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m; Hole pitch: 25mm 27mm 30mm



USB 2.0 F/F Panel Mount Cable for long distance

- Model No.: FSP3006
- USB 2.0 A Female with IC
- USB 2.0 A Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m; Hole Pitch: 25mm 27mm 30mm



USB 2.0 M/F Panel Mount Extension Cable

- Model No.: FSP3007
- USB 2.0 A Male
- USB 2.0 A Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m; Hole Pitch: 25mm 27mm 30mm



USB 2.0 AF/BF Panel Mount Cable

- Model No.: FSP3002
- USB 2.0 A Female with screw
- USB 2.0 B Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m; Hole Pitch: 25mm 27mm 30mm



USB 2.0 BM/BF Panel Mount Extension Cable

- Model No.: FSP3004
- USB 2.0 B Male
- USB 2.0 B Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m; Hole Pitch: 25mm 27mm 30mm



USB 2.0 AF/BF Panel Mount Cable for long distance

- Model No.: FSP3003
- USB 2.0 A Female with IC
- USB 2.0 B Female with screw
- #4-40 or M30
- Support 480Mbps
- Length: 0.2m; Hole Pitch: 25mm



USB 2.0 AF/BF Panel Mount Coupler

- Model No.: FSP3001
- USB 2.0 A Female
- USB 2.0 B Female with screw
- #4-40 or M30
- Support 480Mbps
- Hole Pitch: 25mm



VGA F/F Panel Mount Cable

- Model No.: FSP6002
- VGA Female*2
- #4-40 or M30
- Support up to 1080P
- Length: 0.2m
- Hole Pitch: 25mm




FSP6001: VGA Panel Mount Coupler

DVI F/F Panel Mount Cable

- Model No.: FSP5001
- DVI-D Female
- DVI-D Female 45° angled
- #4-40 or M30
- Support up to 1080P
- Length: 0.2m; Hole Pitch: 25mm





HDMI 2.0 F/F Panel Mount Cable

- Model No.: FSP1002A
- HDMI Female
- HDMI Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Length: 0.2m Hole pitch: 25mm, 27mm, 30mm



HDMI 2.0 M/F Panel Mount Extension Cable

- Model No.: FSP1003A
- HDMI Male
- HDMI Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Length: 0.2m Hole pitch: 25mm, 27mm, 30mm



Flat HDMI 2.0 F/F Panel Mount Cable

- Model No.: FSP1002F
- HDMI Female
- HDMI Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Length: 0.2m Hole pitch: 25mm, 27mm, 30mm



Flat HDMI 2.0 M/F Panel Mount Extension Cable

- Model No.: FSP1003F
- HDMI Male
- HDMI Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Length: 0.2m Hole pitch: 25mm



Flat HDMI 2.0 F/F Panel Mount Cable, 45° angled

- Model No.: FSP1002E
- HDMI Female
- HDMI Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Length: 0.2m Hole pitch: 27mm, 30mm



HDMI 2.0 F/F Panel Mount Coupler

- Model No. FSP1001
- HDMI Female
- HDMI Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Hole pitch: 25mm



HDMI 2.1 8K M-F Panel Mount Cable

- Model No.: FSP1006
- HDMI Male/Female with screw
- #4-40 or M3
- Support up to 8K@60Hz
- Length: 0.2m
- Hole pitch: 25mm



DisplayPort 1.4 8K M/F Panel Mount Extension Cable

- Model No.: FSP2003
- DisplayPort Male/Female with screw
- #4-40 or M3
- Support up to 8K@60Hz
- Length: 0.2m
- Hole pitch: 25mm



Mini DisplayPort M/DisplayPort F Panel Mount Cable


- Model No.: FSP2003
- Mini DisplayPort Male
- DisplayPort Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Length: 0.2m; Hole pitch: 25mm



DisplayPort F/F Panel Mount Coupler

- Model No.: FSP2001
- DisplayPort Female
- DisplayPort Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Hole pitch: 25mm





Mini DisplayPort to DisplayPort Panel Mount Cable

- Model No.: FSP2003
- Mini DisplayPort Male
- DisplayPort Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Length: 0.2m, Hole pitch: 25mm



DisplayPort Female to Female Coupler

- Model No.: FSP2001
- DisplayPort Female
- DisplayPort Female with screw
- #4-40 or M3
- Support up to 4K@60Hz
- Hole pitch: 25mm



Unshielded RJ45 M/F Panel Mount Extension Cable

- Model No.: FSP4003
- RJ45 Male/Female with M3 screw
- Support 10/100/1000M
- Hole pitch: 25mm
- Length: 0.2m, 0.5m, 1m, 2m, 3m
- A: CAT5E. B: CAT6 C: CAT6A



Shielded RJ45 M/F Panel Mount Extension Cable

- Model No.: FSP4004
- RJ45 Male/Female with M3 screw
- Support 10/100/1000M
- Hole pitch: 25mm
- Length: 0.2m, 0.5m, 1m, 2m, 3m
- A: CAT5E. B: CAT6 C: CAT6A



Cat5e RJ45 F/F Panel Mount Ethernet Cable

- Model No.: FSP4002
- RJ45 Female/ Female with M3 Screw
- Support 10/100/1000M
- Length: 0.2m; Hole pitch: 25mm
- A: CAT5E. B: CAT6 C: CAT6A



Cat5e RJ45 F/F Panel Mount Coupler

- Model No.: FSP4001
- RJ45 Female Female with M3 Screw
- Support 10/100/1000M
- Hole pitch: 25mm
- A: CAT5E. B: CAT6



3.5mm F/F Panel Mount Audio Cable

- Model No.: FSP0003
- 3.5mm Female
- 3.5mm Female with screw
- Length: 0.2m



3.5mm F/F Panel Mount Audio Coupler

- Model No.: FSP0002
- 3.5mm Female
- 3.5mm Female with screw
- #4-40 or M3



RCA F/F Panel Mount Audio Coupler

- Model No.: FSP0001
- RCA Female
- RCA Female with screw
- #4-40 or M3
- Housing Color: White, Yellow, Red





HDMI 2.0 Active Optical Cable

- Model No.: FS11016
- HDMI Male / Male
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 10M-150M



HDMI 2.0 Active Optical Cable, 2 in 1

- Model No.: FS11016B
- Micro HDMI male to male
- HDMI M to Micro HDMI F adppter
- 18Gbps, 4K@60Hz,
- Support HDR, HEC, ARC, 3D
- Length: 10M-100M



HDMI 2.1v 8K AOC Cable

- Model No.: FS11017
- HDMI Male to Male
- 48Gbps, 8K@60Hz, 4K@120Hz
- Support HDCP 2.2
- HDR with increased color spaces
- Length: 10M-100M



HDMI 2.1v 8K AOC Cable

- Model No.: FS12008
- DP Male to Male
- 32.4Gbps, 8K@60Hz, 4K@120Hz
- Support HBR3, DSC1.2, FEC, HDR
- Length: 10M-100M



USB 3.0 AOC Cable

- Model No.: FS0001
- USB 3.0 Male/Male
- Support 5Gbps
- High Flexibility
- Length: 2M-100M



USB 3.0 M/F Hybrid AOC Extension Cable

- Model No.: FS0002
- USB 3.0 Male/Female
- Support 5Gbps
- High Flexibility
- Length: 2M-100M



USB3.0 A to Micro USB Active Optical Cable

- Model No.: FS0003
- USB 3.0 Male/Micro
- Support 5Gbps
- High Flexibility
- Length: 2M-50M



USB 3.0 A-C Active optical cable

- Model No.: FS0004
- USB 3.0 A male/ Type C
- Support 5Gbps
- High Flexibility
- Length: 2M-30M



USB 3.1 C to C Active Optical Cable

- Model No.: FS0005
- USB 3.1 C male/ C male
- Support 10Gbps, 4K@60Hz
- High Flexibility
- Length: 2m-30m



USB Type C to HDMI Active Optical Cable

- Model No.: FS0006
- USB C Male/ HDMI male
- Support 4K@60hz
- High Flexibility
- Length: 5m, 10m, 15m, 20m



BULK ETHERNET CABLE




Advanced Testing Equipment

Fluke Tester



Network Analyzer



Advanced production line





CAT8 S/FTP Bulk Ethernet Installation Cable

- Model No.: FS17010
- CA8 S/FTP, LSZH Jacket
- 22AWG 0.64mm Copper
- 40GBase-T@2000MHz
- Length: 100m, 305m, 500m



CAT7A S/FTP Bulk Ethernet Installation Cable

- Model No.: FS17009
- CA7A S/FTP, LSZH Jacket
- 23AWG 0.57mm Copper
- 1000MHz
- Length: 100m, 305m, 500m




CAT7 S/FTP Bulk Ethernet Installation Cable

- Model No.: FS17008
- Model No.: FS7009 Duplex
- CA7 S/FTP, LSZH Jacket
- 23AWG 0.57mm Copper
- 600MHz
- Length: 100m, 305m, 500m



CAT6A S/FTP Bulk Ethernet Installation Cable

- Model No.: FS17007
- CA6A S/FTP, LSZH Jacket
- 23AWG 0.57mm Copper
- 500MHz
- Length: 100m, 305m, 500m




CAT6A U/UTP Bulk Ethernet Installation Cable

- Model No.: FS17006
- CA6A U/UTP, LSZH Jacket
- Internal Longitudinal Striations (ILS)
- 23AWG 0.57mm Copper
- 500MHz
- Length: 100m, 305m, 500m



CAT6 S/FTP Bulk Ethernet Installation Cable

- Model No.: FS17005
- CA6 S/FTP, LSZH Jacket
- 23AWG 0.57mm Copper
- 250MHz
- Length: 100m, 305m, 500m



CAT6 F/UTP Bulk Ethernet Installation Cable

- Model No.: FS17004
- CA6 F/UTP,
- Jacket: PVC/PE/LSZH/CM/CMR/CMP
- 23AWG 0.57mm Copper
- 250MHz
- Length: 100m, 305m, 500m



CAT6 U/UTP Bulk Ethernet Installation Cable

- Model No.: FS17003
- CA6 U/UTP
- Jacket: PVC/PE/LSZH/CM/CMR/CMP
- 23AWG 0.57mm Copper
- 250MHz
- Length: 100m, 305m, 500m



CAT5E F/UTP Bulk Ethernet Installation Cable


- Model No.: FS17002
- CA5E F/UTP
- Jacket: PVC/PE/LSZH/CM/CMR/CMP
- 24AWG 0.50mm Copper
- 100MHz
- Length: 100m, 305m, 500m



CAT5E U/UTP Bulk Ethernet Installation Cable


- Model No.: FS17001
- CAT5E U/UTP
- Jacket: PVC/PE/LSZH/CM/CMR/CMP
- 24AWG 0.50mm Copper
- 100MHz
- Length: 100m, 305m, 500m






CAT5E U/UTP Ethernet Patch Cable

- Model No.: FS17101
- CAT5E U/UTP, PVC Jacket
- 24/26AWG Copper or CCA
- 100MHz
- Length: 0.3m-30m



CAT5E F/UTP Ethernet Patch Cable

- Model No.: FS17102
- CAT5E F/UTP, PVC Jacket
- 24/26AWG Copper or CCA
- 100MHz
- Length: 0.3m-30m



CAT6 U/UTP Ethernet Patch Cable

- Model No.: FS17103
- CAT6 U/UTP, PVC Jacket
- 26AWG Copper or CCA
- 250MHz
- Length: 0.3m-30m




CAT6 F/UTP Ethernet Patch Cable

- Model No.: FS17104
- CAT6 F/UTP, PVC Jacket
- 26AWG Copper or CCA
- 250MHz
- Length: 0.3m-30m



CAT6A U/UTP Ethernet Patch Cable

- Model No.: FS17106
- CAT6 U/UTP, PVC/LSZH Jacket
- 26AWG Copper
- 500MHz
- Length: 0.3m-30m



CAT6 S/FTP Ethernet Patch Cable

- Model No.: FS17105
- CAT6 S/FTP, PVC/LSZH Jacket
- 26AWG Copper
- 500MHz
- Length: 0.3m-30m



CAT6/6A 28AWG Slim Ethernet Patch Cable

- FS17107A: Cat6 U/UTP
- FS17107B: Cat6a U/UTP
- PVC/LSZH Jacket
- 28AWG Copper, OD: 3.8mm
- 500MHz
- Length: 0.3m-30m



CAT6A/7 S/FTP Ethernet Patch Cable

- FS17108: Cat 6A S/FTP
- FS17109: Cat 7 S/FTP
- PVC/LSZH/PURJacket
- 26AWG Copper
- 500/600MHz
- Length: 0.3m-30m



CAT7 Ultra Slim Flat Ethernet Patch Cable


- FS17109F: Cat7 S/FTP
- PVC/LSZH Jacket
- 32AWG Copper, OD: 1.9*6.0mm
- 500MHz
- Length: 0.3m-20m



Braided Flat Ethernet Patch Cable

- FS17109FB: Cat7 S/FTP
- FS71110FB: Cat8 S/FTP
- PVC/LSZH Jacket
- 30AWG
- 500/600/2000MHz
- Length: 0.3m-20m





CAT8 S/FTP 40G 2000MHz Ethernet Patch Cable

- Model No.: FS17110A1
- CAT8 S/FTP, LSZH Jacket
- 24AWG Copper
- 40G, 2000MHz
- Length: 0.3m-25m



CAT8 S/FTP 40G 2000MHz Ethernet Patch Cable

- Model No.: FS17110A2
- CAT8 S/FTP, LSZH Jacket
- 24AWG Copper
- 40G, 2000MHz
- Length: 0.3m-25m



26AWG CAT8 S/FTP Patch Cable

- Model No.: FS17110B
- CAT8 S/FTP, LSZH Jacket
- 26AWG Copper
- 40G, 2000MHz
- Length: 0.3m-15m



28AWG CAT8 S/FTP Ethernet Patch Cable

- Model No.: FS17110C
- CAT8S/FTP, LSZH Jacket
- 23AWG Copper
- 600MHz
- Length: 0.3m-15m



Ultra Slim CAT8 S/UTP Ethernet Patch Cable

- Model No.: FS17110C
- CAT7 S/FTP, LSZH Jacket
- 32-30AWG Copper
- 250MHz
- Length: 0.3m-5m



Ultra Slim Flat CAT8 S/UTP Ethernet Patch Cable

- Model No.: FS17110D
- CAT7 S/FTP, LSZH Jacket
- 32-30AWG Flat cable
- 250MHz
- Length: 0.3m-5m



Jack to Jack UTP Pre-terminated Trunk Cable

- FS17401A: CAT5E UTP F/F
- FS17401B: CAT6 UTP F/F
- FS17401C: CAT6A UTP F/F
- 24AWG Copper, 6 Jack/6Jack
- Breakout Length: 30m
- Cable Length: 3m 5m 7m 10m 15 Or Customized



Plug to Plug UTP Pre-terminated Trunk Cable

- FS17402A: CAT5E UTP M/M
- FS17402B: CAT6 UTP M/M
- FS17402C: CAT6A UTP M/M
- 24AWG Copper, 6 Jack/6Jack
- Breakout Length: 30m
- Cable Length: 3m 5m 7m 10m 15 Or Customized



Jack to Jack S/FTP Pre-terminated Trunk Cable

- FS17403A: CAT5E S/FTP F/F
- FS17403B: CAT6 S/FTP F/F
- FS17403C: CAT6A S/FTP F/F
- 24AWG Copper, 6 Jack/6Jack
- Breakout Length: 30m
- Cable Length: 3m 5m 7m 10m 15 Or Customized



Plug to Plug S/FTP Pre-terminated Trunk Cable

- FS17404A: CAT5E S/FTP M/M
- FS17404B: CAT6 S/FTP M/M
- FS17404C: CAT6A S/FTP M/M
- 24AWG Copper, 6 Jack/6Jack
- Breakout Length: 30m
- Cable Length: 3m 5m 7m 10m 15 Or Customized





Bulk Cable Packaging



Easy Box



Wooden Spool



Plastic Spool



PE Film Wrap

Connected Cable Packaging



Polybag



OPP Bag



Zip Bag



Bag With Hang Card



Hang Card



Color Box 1



Color Box 2



Color Box 3



Color Box 4



Blister 1



Blister 2



Blister 3



Blister 4



1. What is your MOQ for your products ?

- ✓ Farsince offers small MOQ, If No OEM need, MOQ for bulk cable is 50 Rolls, 500 pieces for cables with Connector.
- ✓ If your request OEM packing, MOQ for bulk cable is 200 roll, for Cable with connector is totally 3000 meters per color.

2. What is your lead time ?

- ✓ Normally 7-35 days after order details confirmed and received your deposit
- ✓ We are able to do priority for top urgent order, 1-2 weeks depends on quality and Specification

3. What is your payment term?

- ✓ Our payment are Flexible including T/T, L/C or O/A.
- ✓ For beginning deals, we request 30% deposit and 70% before shipment. We will consider to offer credit through clients establishing a certain degree of credibility.
- ✓ All products are inspected by us or a third party. We guarantee a full refund to clients if Ethernet cables are not approved

4. What is your quality policy?

We strive to delivery high-quality Cabling products and to be a reliable supplier

- ✓ The raw material will be inspected by our incoming QC
- ✓ Input Process Quality Control (IPQC)
- ✓ Outgoing Quality Control (OQC)
- ✓ 5 Years Warranty
- ✓ In Case of any defective happens, we will analyze the real reason and make the improvement to avoid problems happen again. we will take responsibility for any of our mistake: make replacement or refund.



NINGBO FARSINCE EL ELECTRONIC CO., LIMITED

Add: 288 XILU ROAD, ZHENHAI, NINGBO, CHINA 315201

Tel: +86- 574 87042335; Fax +86 574 86642158

Email: sales@farsince.com; Web: www.farsince.com